




ALUMINIUM
GLAZING DIRECT
TECHNICAL DOCUMENTS
StyleSlide



styleSlide Sliding Patio Doors

THE AMAZINGLY
SLEEK NEW INLINE
SLIDING DOOR

Choose your design, choose your view. styleSlide is the sleek sliding door which combines top quality, colour-matched hardware with elegant design. So the look of your door can match the look of your outdoors.

Modern Square Look

Ultra Slim 35mm Interlock

Up to 2.2m x 2.6m per panel

Stylish Colour-Matched Hardware

U-Value From 1.2 W/m²K

Double or Triple Glazing

Multi-Point Locking

70mm Frame Depth For Easy Replacement

Kit Frame and Sash Option For Full Site-Assembly

Size Limits

Maximum Panel Width	2200 mm
Maximum Panel Height	2600 mm
Maximum Panel Weight	240 kg

THRESHOLD HEIGHT	48 mm	
GLAZING THICKNESS	14 - 36 mm	
GLAZING METHOD	Wrap-Around	
GLAZING	Double or Triple	
SIGHTLINE (TYPICAL)	35 mm	
FRAME DEPTH	2 RAIL	70 mm
FRAME DEPTH	3 RAIL	126 mm


PERFORMANCE	
U-VALUE	From 1.2 W/m ² K
AIR PERMEABILITY	Class 4
WATER TIGHTNESS	Class 7A
WIND RESISTANCE	Class C5
ENHANCED SECURITY	Multi-Point Locking
MAXIMUM ACOUSTIC INSULATION	40 dB Rw

StyleSlide+ – Contents


- 1.0 Typical Elevations
- 2.0 Standard Profiles
- 3.0 Typical Sections
 - 3.1 Duo Frame – Locking Jamb
 - 3.2 Tri Frame – Locking Jamb
 - 3.3 Duo Frame – Sliding Panel Threshold
 - 3.4 Tri Frame – Fixed Panel Threshold
 - 3.5 Tri Frame – Sliding Panel Threshold
 - 3.6 Duo Frame – Sliding Panel Head
 - 3.7 Tri Frame – Sliding Panel Head
 - 3.8 Interlocks
 - 3.8a Standard
 - 3.8b Reinforced
 - 3.9 Meeting Section
 - 3.10 Duo Frame – Cill Options
 - 3.11 Tri Frame – Cill Options
 - 3.12 Frame Extenders & Trickle Vent

StyleSlide+ - Contents

DUAL TRACK
APPLICABLE FOR IN-LINE SLIDING




DUO RAIL
X X




DUO RAIL
X X X X

TRIPLE TRACK
APPLICABLE FOR IN-LINE SLIDING




TRI RAIL
X X X




TRI RAIL
X X X X X X


StyleSlide+ - Profiles




4930 - Duo Frame - Track




4940 - Tri Fame - Track




4922- Lateral Sash Profile




4925-01- Shallow Interlock




4926-01- Reinforced Interlock




4921 - Top / Bearing Sash Profile




770229 - Frame Extension Add On 35mm




4910- Drip nose




4927-01- Reinforced Interlock




4259 - Interlock Seam Profile
(4256)




StyleSlide+ - Profiles




3836 - Stub Cill 90mm




3735 - Drop Nose Cill 150mm



P-00-520 - Z-Profile





3837 - Drop Nose Cill 180mm



3838 - Drop Nose Cill 230mm



StyleSlide+ - Typical Sections

Duo Frame - Locking Jamb





StyleSlide+ - Typical Sections

Tri Frame - Locking Jamb





StyleSlide+ - Typical Sections

Duo Frame - Sliding Panel Threshold





StyleSlide+ - Typical Sections

Tri Frame - Sliding Panel Threshold





StyleSlide+ - Typical Sections

Duo Frame - Sliding Panel Head






StyleSlide+ - Typical Sections

Tri Frame - Sliding Panel Head




StyleSlide+ - Typical Sections

Interlock - Standard






StyleSlide+ - Typical Sections

Interlock Reinforced






Reinforced
interlock
Section





StyleSlide+ - Typical Sections

Meeting Profile




StyleSlide+ - Typical Sections

Duo Frame - Cill Options





95mm stub Cill



150mm Cill

StyleSlide+ - Typical Sections



Duo Frame - Cill Options



180mm Cill



StyleSlide+ - Typical Sections

Duo Frame - Level FFL detail



StyleSlide+ - Typical Sections



Tri Frame - Cill Options



230mm Cill



StyleSlide+ - Typical Sections

Tri Frame - Level FFI detail





StyleSlide+ - Typical Sections

Duo Frame - Add On with Trickle Vent



EdgeGLID+ - Typical Sections

Tri Frame - Add On with Trickle Vent



ALUMINIUM GLAZING DIRECT

Aluminium Glazing Direct is a supplier of bifold and patio doors based in Manston, Kent. We work locally in Margate, Ramsgate, Canterbury, Dover and Folkestone, as well as beyond in surrounding areas.

Run by a team with decades of experience, we offer you high quality bifold and patio doors, always manufactured from the finest aluminium. For installers, we think we're the perfect option



0800 058 4466
info@aluminiumglazingdirect.co.uk
www.aluminiumglazingdirect.co.uk

